Author Index

ABB HANNELORE *see* ABB J.

ABB J., ZANDER H., ABB HANNELORE, ALBERT E. & DEINHARDT F. Association of human leucocyte low responsiveness to inducers of interferon alpha with HLA-DR 2, 239

AHLSTEDT S. *see* BJURSTEN L.M.

ALBERT E. *see* ABB J.

ALLANSMITH MATHEA R., BAIRD R.S., HENRIQUEZ A.S. & BLOCH K.J. Sequence of mast-cell changes in ocular anaphylaxis, 281

AMITAY M. *see* GINSBURG H.

ASBERY L.J. *see* HARRIS G.

ASHERSON G.L. *see* COLIZZI V.

ASKONAS BRIGITTE A. *see* HACKETT C.J.

BABIOR B.M. *see* MATZNER Y.

BACH J.F. *see* ROUGER PH.

BAGGE U. *see* BJURSTEN L.M.

BAIRD R.S. *see* ALLANSMITH MATHEA R.

BALDWIN R.W. *see* CANTRELL D.A.

BALFOUR B.M. *see* LENS J.W.

BARRETT A. *see* O'BRIEN T.

BEHNKE J.M. *see* PRITCHARD D.I.

BEN-DAVID ESTHER *see* GINSBURG H.

BENSON W. *see* LENS J.W.

BENZIE C.R. *see* KAY J.E.

BERG W.B. VAN DEN *see* PUTTE L.B.A. VAN DE

BERKE G., ROSEN DALIA & MOSCOVITCH MIRIAM. T lymphocyte-mediated cytolysis. III. Delineation of mechanisms whereby lectins mediate lymphocyte–target interaction, 585

BERTON G. & GORDON S. Superoxide release by peritoneal and bone marrow-derived mouse macrophages. Modulation by adherence and cell activation, 693

BERTON G. & GORDON S. Modulation of macrophage mannosyl-specific receptors by cultivation on immobilized zymosan. Effects on superoxide-anion release and phagocytosis, 705

BINNS R.M. & LICENCE S.T. Long-term survival of MHC-compatible lymphocytes and two-phase clearance of allogeneic incompatible lymphocytes in the young pig, 727

BJURSTEN L.M., THOMSEN P., AHLSTEDT S. & BAGGE U. The kinetics of leucocyte migration into rabbit knee joints elicited by preformed immune complexes with different *in vitro* characteristics, 205

BLOCH K.J. *see* ALLANSMITH MATHEA R.

BÖCK G. *see* RUMPOLD H.

BOWMAN BARBARA J. *see* SMITH R.J.

BRADE V. *see* KREUZPAINTNER G.

BRAI M. *see* MAGRO A.M.

BRANDSLUND I. *see* RASMUSSEN J.M.

BROWN SHEILA E., STEWARD M.W., VIOLA L. HOWARD C.R. & MURRAY-LYON I.M. Chronic liver disease: the detection and characterization of circulating immune complexes, 673

BRUCE R.G. *see* OTTAWAY C.A.

CAHILL R.N.P. *see* MIYASAKA M.

CALLIS ANDREA A., SCHRIER D.J., DAVID CHELLA S. & MOORE V.L. Immunogenetics of BCG-induced anergy in mice. Control by *Igh-* and *H-2*-linked genes, 609

CALVANICO N.J. *see* PIECHURA J.E.

CANTRELL D.A., ROBINS R.A. & BALDWIN R.W. A comparison of membrane markers on rat cytotoxic cells, 139

CARTER JAN & DRESSER D.W. Pregnancy induces an increase in the number of immunoglobulin-secreting cells, 481

CELIS BARBARA & CELIS E. Complement-mediated killing of myeloma tumour cells: differences in susceptibility to lysis by antibodies and complement are independent of antigen expression and antibody binding, 321

CELIS E. *see* CELIS BARBARA

CHAN W.L. Protective immunization of mice with specific HSV-1 glycoproteins, 343

CHANDLER P.M. *see* HARRIS G.

CHATURVEDI U.C. *see* GULATI LALITA

CHRIQUI EVELYNE *see* GINSBURG H.

CLARKSON CAROL A. *see* SYMONS D.B.A.

COHEN S.H. *see* PIECHURA J.E.

COLIZZI V., ASHERSON G.L. & JAMES BRIDGET M.B. The role of I-J in the suppressor T-cell circuit which influences the effector stage of contact sensitivity: antigen together with syngeneic I-J region determinants induces and activates T suppressor cells, 191

CRIBBIN FRANCES A. *see* WILLIAMS N.H.

CUI Y.C., TAI P-C., GATTER K.C., MASON D.Y. & SPRY C.J.F. A vascular endothelial cell antigen with restricted distribution in human foetal, adult and malignant tissues, 183

DAHA M.R. *see* DOEKES G.

DAHLGREN C. & ELWING H. Inhibition of polymorphonuclear leucocyte locomotion by surface-bound antigen–antibody complexes, 329

DALE M. MAUREEN, MUID R.E. & WILSON H.K. Neutrophil-mediated antibody-dependent cellular cytotoxicity: morphological concomitants of ^{51}Cr-release, 401

DAVID CHELLA S. *see* CALLIS ANDREA H.

DAVIDSON SIMA *see* GINSBURG H.

DEAN C.J. *see* NORTH SUSAN M.

DEINHARDT F. *see* ABB J.

DELIA D. *see* NEWMAN R.A.

DELIA D. *see* RITTER M.A.

DI BELLA GUISEPINA *see* LAMBRÉ C.R.

DOEKES G., VAN ES L.A. & DAHA M.R. $C\bar{1}$ inactivator: its efficiency as a regulator of classical complement pathway activation by soluble IgG aggregates, 215

DOINEL CH. *see* ROUGER PH.

DRAY S. *see* MACKIN W.M.

DRESSER D.W. *see* CARTER JAN

DRESSER D.W. *see* MALLEY A.
DREXHAGE H.A. *see* LENS J.W.
DRUMMOND HAZEL E. *see* STROBEL S.
DUDLER L. *see* MIYASAKA M.
DZIARSKI AGNES *see* SCHREIBER A.D.

EBERSOLE J.L. *see* TAUBMAN M.A.
EDELMAN L. *see* ROUGER PH.
EFFROS RITA B. & WALFORD R.L. Diminished T-cell response to influenza virus in aged mice, 387
ELWING H. *see* DAHLGREN C.
ERDEI ANNA, FÜST G., GYENES J., FÁBRY ZSUZSA & GERGELY J. C3b acceptors on human peripheral blood mononuclear cells: characterization and functional role, 423
ESHHAR Z. *see* PARHAMI-SEREN BEHNAZ

FÁBRY ZSUZSA *see* ERDEI ANNA
FAUCI A.S. *see* STEVENSON H.C.
FERGUSON ANNE *see* STROBEL S.
FORD W.L. *see* SMITH M.E.
FORNI L. *see* MIYASAKA M.
FREIER MIRIAM *see* FREIER S.
FREIER S., LEBENTHAL E., FREIER MIRIAM, SHAH P.C., PARK B.H. & LEE P.C. IgE and IgD antibodies to cow milk and soy protein in duodenal fluid: effects of pancreozymin and secretin, 69
FUJII S. *see* IKARI N.
FUJISAWA H., KUMAZAWA Y., OHTANI A. & NISHIMURA C. High frequency detection of different T-cell subsets in mice by a modified virus plaque assay, 175
FÜST G. *see* ERDEI ANNA

GALLOWAY GILLIAN, LEUNG A.Y.-T., HUNNEYBALL I.M. & STANWORTH D.R. The successful use of asialylated IgG as an immunogen and arthritogen in the rabbit, 511
GATTER K.C *see* CUI Y.C.
GAVISON-GOREN RIYKA & NELKEN D. Non-specific normal immunosuppressive protein (Nip): purification and further biochemical characterization, 599
GERGELY J. *see* ERDEI ANNA
GICLAS P.C. *see* STRUNK R.C.
GINSBURG H., BEN-DAVID ESTHER, KINARTY AMALIA, ROFO-LOVITCH M., AMITAY M., CHRIQUI EVELYNE, KEDAR E. & DAVIDSON SIMA. Murine interleukine-2 generates glycogen-rich and mucus-secreting NK cells, 571
GORDON S. *see* BERTON G.
GULATI LALITA, CHATURVEDI U.C. & MATHUR ASHA. Dengue virus-induced cytotoxic factor induces macrophages to produce a cytotoxin, 121
GYENES J. *see* FUST G.

HACKETT C.J., TAYLOR P.M. & ASKONAS BRIGITTE A. Stimulation of cytotoxic T cells by liposomes containing influenza virus or its components, 255
HARRIS G., LAWLEY P.D., ASBERY L.J., CHANDLER P.M. & JONES M.G. Autoimmune haemolytic disease in mice after exposure to a methylating carcinogen, 439
HATANAKA MIEKO *see* SHINOMIYA H.
HAYASHI H. *see* HIFUMI M.
HAYASHI H. *see* SHIMOKAWA Y.
HAYNES B.F. *see* STEVENSON H.C.
HENRIQUEZ A.S. *see* ALLANSMITH MATHEA R.
HERON I. *see* MIYASAKA M.
HIFUMI M. & HAYASHI H. Immunological function of adhesive glycoprotein from rat ascites hepatoma cells: production of macrophage chemotactic lymphokine, 245
HIFUMI M. *see* SHIMOKAWA Y.
HIGUCHI Y. & YAMAMOTO S. Studies on delayed-type hypersensitivity (DTH) reactions in the pleural cavity in mice: prolonged DTH reaction and its interruption by cyclophosphamide treatment, 529
HIMENO K. *see* SANUI H.
HIRUMI KAZUKO *see* NGAIRA JANE M.
HITOMI Y. *see* IKARI N.
HORTON J.D. *see* WILLIAMS N.H.
HOWARD C.R. *see* BROWN SHEILA E.
HSI B.L., YEH C.J.G. & PAGE FAULK W. Human thymus contains amnion epithelial antigens, 289
HUANG CAECILIA J. *see* PIECHURA J.E.
HUNNEYBALL I.M. *see* GALLOWAY GILLIAN
HUNTLEY J.F. *see* MILLER H.R.P.

IDEN SUSAN S. *see* SMITH R.J.
IKARI N., SAKAI Y., HITOMI Y. & FUJII S. New synthetic inhibitor to the alternative complement pathway, 685

JAMES BRIDGET M.B. *see* COLIZZI V.
JONES M.G. *see* HARRIS G.

KAY J.E. & BENZIE C.R. Effects of cyclosporin A on the metabolism of unstimulated and mitogen-activated lymphocytes, 153
KEDAR E. *see* GINSBURG H.
KELLEY MARIAN *see* SCHREIBER A.D.
KENDRA J. *see* O'BRIEN T.
KEY M.E. *see* SCHROIT A.J.
KIDD J.M. *see* PIECHURA J.E.
KIMURA M. An immunoelectron microscopic study of immunoglobulin G in the postcapillary venules of normal and nude mouse lymph nodes, 223
KINARTY AMALIA *see* GINSBURG H.
KNAAK T. *see* MIYASAKA M.
KNIGHT R. *see* O'BRIEN T.
KOLAJA G.J. *see* SMITH R.J.
KRAFT D. *see* RUMPOLD H.
KREUZPAINTNER G. & BRADE V. Effect of cycloheximide and of anti-C3 Fab′ on the intrinsic synthesis and secretion of lysosomal enzyme and of complement components by guinea-pig peritoneal macrophages, 337
KROESE F.G.M. & VAN ROOIJEN N. Antigen trapping in the spleen of the turtle, *Chrysemys scripta elegans*, 61
KRUIJSEN M.W.M. *see* PUTTE L.B.A. VAN DE
KUMAZAWA Y. *see* FUJISAWA H.
KUNKE K.S. *see* STRUNK R.C.
KURUP V.P. *see* PIECHURA J.E.

LAMBRÉ C.R., THIBON MONIQUE, LE MAHO SYLVIE & DI BELLA GUISEPINA Auto-antibody-dependent activation of the autologous classical complement pathway by guinea-pig red cells treated with influenza virus or neuraminidase: *in vitro* and *in vivo* study, 311
LAPPIN D. & WHALEY K. Control of monocyte C2 production by cyclic AMP, 625
LAPPIN D. *see* WHALEY K.

LASTER S.M. & ROUX K.H. Response of the rabbit V_H subgroups *a* and *y* following antigenic stimulation, 273
LAWLEY P.D. *see* HARRIS G.
LEBENTHAL E. *see* FREIER S.
LEE P.C. *see* FREIER S.
LEE T.D.G. *see* PRITCHARD D.I.
LE MAHO SYLVIE *see* LAMBRÉ C.R.
LENS J.W., DREXHAGE H.A., BENSON W. & BALFOUR B.M. A study of cells present in lymph draining from a contact allergic reaction in pigs sensitized to DNFB, 415
LENS J.W. *see* PUTTE L.B.A. VAN DE
LESLIE R.G.Q. *see* RASMUSSEN J.M.
LEUNG A.Y.-T. *see* GALLOWAY GILLIAN
LEVINSON A.I. *see* SCHREIBER A.D.
LICENCE S.T. *see* BINNS R.M.
LINDQUIST R.R. *see* WEI W.-Z.
LOEKEN MARY R. & ROTH T.F. Analysis of maternal IgG subpopulations which are transported into the chicken oocyte, 21

MACKIN W.M., MAYER E.P., DRAY S. & REITER H. α-macroglobulin-induced release of anti-Ig-coated particles from a subpopulation of rabbit B lymphocytes, 519
MCPHAEDEN A.R. *see* WHALEY K.
MAGRO A.M. & BRAI M. Evidence for lipoxygenase activity in induction of histamine release from rat peritoneal mast cells by chelated iron, 1
MALLEY A. & DRESSER D.W. Regulation of timothy grass pollen IgE antibody formation. I. *In-vitro* induction of suppressor T cells by soluble T suppressor factors, 463
MASON D.Y. *see* CUI Y.C.
MASON D.Y. *see* SUTTON L.
MATHUR ASHA *see* GULATI LALITA
MATZNER Y., PARTRIDGE R.E.H. & BABIOR B.M. A chemotactic inhibitor in synovial fluid, 131
MAYER E.P. *see* MACKIN W.M.
MILLER H.R.P., WOODBURY R.G., HUNTLEY J.F. & NEWLANDS G. Systemic release of mucosal mast-cell protease in primed rats challenged with Nippostrongylus brasiliensis, 471
MILLER P.J. *see* STEVENSON H.C.
MINAMI J. *see* UTSUMI S.
MIURA K. *see* SHIMOKAWA Y.
MIYASAKA M., HERON I., DUDLER L., CAHILL R.N.P., FORNI L., KNAAK T. & TRNKA Z. Studies on the differentiation of T lymphocytes in sheep. I. Recognition of a sheep T-lymphocyte differentiation antigen by a monoclonal antibody T-80, 545
MOORE V.L. *see* CALLIS ANDREA H.
MORRIS B. *see* REYNOLDS J.D.
MÖSCHL P. *see* RUMPOLD H.
MOSCOVITCH MIRIAM *see* BERKE G.
MOWAT A.MCI. *see* STROBEL S.
MOZES EDNA *see* PARHAMI-SEREN BEHNAZ
MUID R.E. *see* DALE M. MAUREEN
MURRAY-LYON I.M. *see* BROWN SHEILA E.
MUSOKE A.J. *see* NGAIRA JANE M.

NANTULYA V.M. *see* NGAIRA JANE M.
NELKEN D. *see* GAVISON-GOREN RIVKA
NEWLANDS G. *see* MILLER H.R.P.
NEWMAN R.A. & DELIA D. Analysis of the binding of peanut agglutinin (PNA) to leukaemic cells and its relationship to T-cell differentiation, 147
NGAIRA JANE M., NANTULYA V.M., MUSOKE A.J. & HIRUMI KAZUKO Phagocytosis of antibody-sensitized *trypanosoma brucei in vitro* by bovine peripheral blood monocytes, 393
NISHIMURA C. *see* FUJISAWA H.
NOMOTO K. *see* SANUI H.
NORLEY S.G. & WARDLEY R.C. Investigation of porcine natural-killer cell activity with reference to African swine-fever virus infection, 593
NORTH SUSAN M. & DEAN C.J. Monoclonal antibodies to rat sarcomata. II. A syngeneic IgG_{2b} antibody with anti-tumour activity, 667

OBEXER G. *see* RUMPOLD H.
O'BRIEN T., KENDRA J., STEPHENS H., KNIGHT R. & BARRETT A. Recognition and regulation of progenitor marrow elements by NK cells in the mouse, 717
OHTANI A. *see* FUJISAWA H.
OKADA H., TANAKA HIROKO & OKADA NORIKO Cytolysis of Sendai virus-infected guinea-pig cells by homologous complement, 24
OKADA NORIKO *see* OKADA H.
OTTAWAY C.A., BRUCE R.G. & PARROTT D.M.V. The *in-vivo* kinetics of lymphoblast localization in the small intestine, 641

PAGE FAULK W. *see* HSI B.L.
PARHAMI-SEREN BEHNAZ, ESHHAR Z. & MOZES EDNA Fine specificity and idiotypic expression of monoclonal antibodies directed against poly(Tyr,Glu)-poly(DLAla)--poly(Lys) and its ordered analogue (Tyr-Tyr-Glu-Glu)-poly(DLAla)--poly(Lys), 9
PARK B.H. *see* FREIER S.
PARROTT D.M.V. *see* OTTAWAY C.A.
PARTRIDGE R.E.H. *see* MATZNER Y.
PICKERING MAUREEN G. *see* STROBEL S.
PIECHURA J.E., HUANG CAECILIA J., COHEN S.H., KIDD J.M., KURUP V.P. & CALVANICO N.J. Antigens of *Aspergillus fumigatus*. II. Electrophoretic and clinical studies, 657
PRITCHARD D.I., WILLIAMS D.J.L., BEHNKE J.M. & LEE T.D.G. The role of the IgG1 hyperglobulinaemia in immunity to the gastrointestinal nematode *Nematospiroides dubius*. The immunochemical purification, antigen-specificity and *in vivo* anti-parasite effect of IgG1 from immune serum, 353
PUTTE L.B.A. VAN DE, LENS J.W., BERG W.B. VAN DEN & KRUIJSEN M.W.M. Exacerbation of antigen-induced arthritis after challenge with intravenous antigen, 161

RASMUSSEN J.M., BRANDSLUND I., LESLIE R.G.Q. & SVEHAG S-E. Quantitative studies of Fc receptors on human monocytes: characterization by binding of homologous and heterologous monomeric IgG and soluble immune complexes of different composition, 537
REDMAN C.W.G. *see* SUTTON L.
REITER H. *see* MACKIN W.M.
REVIRON J. *see* ROUGER PH.
REYNOLDS J.D. & MORRIS B. The influence of gut function on lymphoid cell populations in the intestinal mucosa of lambs, 501
RICHES D.W.H. *see* WHALEY K.

RITTER M.A., SAUVAGE C.A. & DELIA D. Human Thy-1 antigen: cell surface expression on early T and B lymphocytes, 555
ROBINS R.A. *see* CANTRELL D.A.
ROFOLOVITCH M. *see* GINSBURG H.
ROSEN DALIA *see* BERKE G.
ROTH T.F. *see* LOEKEN MARY R.
ROUGER PH., EDELMAN L., DOINEL CH., REVIRON J., SALMON CH. & BACH J.F. Study of blood group B antigen with a specific monoclonal antibody (anti-B, b-183), 77
ROUX K.H. *see* LASTER S.M.
RUMPOLD H., KRAFT D., OBEXER G., BÖCK G. & MÖSCHL P. A monoclonal antibody (VEP10) against an antigen shared by human large granular lymphocytes, thymocytes and activated T cells, 265

SAKAI Y. *see* IKARI N.
SALMON CH. *see* ROUGER PH.
SANDILANDS G.P. *see* WHALEY K.
SANUI H., YOSHIDA S., HIMENO K. & NOMOTO K. Experimental allergic orchitis induced by unilateral intratesticular bacterial infection in guinea-pigs, 45
SAUVAGE C.A. *see* RITTER M.A.
SCHREIBER A.D., KELLEY MARIAN, DZIARSKI AGNES & LEVINSON A.L. Human monocyte functional heterogeneity: monocyte fractionation by discontinuous albumin gradient centrifugation, 231
SCHRIER D.J. *see* CALLIS ANDREA H.
SCHROIT A.J. & KEY M.E. Induction of syngeneic tumour-specific immunity by liposomes reconstituted with L_2C tumour-cell antigens, 431
SHAH P.C. *see* FREIER S.
SHEK P.N., YUNG B.Y.K. & STANACEY N.Z. Comparison between multilamellar and unilamellar liposomes in enhancing antibody formation, 37
SHIMOKAWA Y., MIURA K., HIFUMI M. & HAYASHI H. Lymphocyte chemotaxis in inflammation. VI. Lyt phenotype analysis of effector cells resonsible for producing murine lymphocyte chemotactic factor, 95
SHINOMIYA H., SUKEGAWA T., HATANAKA MIEKO & UTSUMI S. Parallelism between regulatory effects of erythrocyte glycoproteins on phagocytosis and on the alternative complement pathway, 649
SHINOMIYA H. *see* UTSUMI S.
SKOGH T. & STENDAHL O. Complement-mediated delay in immune complex clearance from the blood owing to reduced deposition outside the reticuloendothelial system, 53
SMITH D.J. *see* TAUBMAN M.A.
SMITH M.E. & FORD W.L. The recirculating lymphocyte pool of the rat: a systematic description of the migratory behaviour of recirculating lymphocytes, 83
SMITH R.J., BOWMAN BARBARA J., IDEN SUSAN S., KOLAJA G.J. & WISER SHARON K. Biochemical, metabolic and morphological characteristics of human neutrophil activation with pepstatin A, 367
SONODA S. *see* UTSUMI S.
SPRY C.J.F. *see* CUI Y.C.
STANACEV N.Z. *see* SHEK P.N.
STANWORTH D.R. *see* GALLOWAY GILLIAN
STENDAHL O. *see* SKOGH T.
STEPHENS H. *see* O'BRIEN T.
STEVENSON H.C., MILLER P.J., WAXDAL M.J., HAYNES B.F., THOMAS C.A. & FAUCI A.S. Interaction of pokeweed mitogen with monocytes in the activation of human lymphocytes, 633
STEWARD M.W. *see* BROWN SHEILA E.
STROBEL S., MOWAT A.MCI., DRUMMOND HAZEL E., PICKERING MAUREEN G. & FERGUSON ANNE Immunological responses to fed protein antigens in mice. II. Oral tolerance for CMI is due to activation of cyclophosphamide-sensitive cells by gut-processed antigen, 451
STRUNK R.C., KUNKE K.S. & GICLAS P.C. Human peripheral blood monocyte-derived macrophages produce haemolytically active C3 *in vitro*, 169
SUKEGAWA T. *see* SHINOMIYA H.
SULLIVAN D.A., UNDERDOWN B.J. & WIRA C.R. Steroid hormone regulation of free secretory component in the rat uterus, 379
SUTTON L., MASON D.Y. & REDMAN C.W.G. HLA-DR positive cells in the human placenta, 103
SVEHAG S-E. *see* RASMUSSEN J.M.
SYMONS D.B.A. & CLARKSON CAROL A. Suppression with anti-Ig of immunoglobulin secretion by pig lymphoblasts, 491

TAI P-C. *see* CUI Y.C.
TANAKA HIROKO *see* OKADA H.
TAUBMAN M.A., EBERSOLE J.L. & SMITH D.J. Immunoglobulins of rnu/rnu 'nude' rats with congenital aplasia of the thymus, 295
TAYLOR P.M. *see* HACKETT C.J.
THIBON MONIQUE *see* LAMBRÉ C.R.
THOMAS C.A. *see* STEVENSON H.C.
THOMSEN P. *see* BJURSTEN L.M.
TRNKA Z. *see* MIYASAKA M.

UNDERDOWN B.J. *see* SULLIVAN D.A.
UTSUMI S., SHINOMIYA H., MINAMI J. & SONODA S. Inhibition of phagocytosis by erythrocyte membrane sialoglycoprotein on target liposomes, 113
UTSUMI S. *see* SHINOMIYA H.

VAN ES L.A. *see* DOEKES G.
VAN ROOIJEN N. *see* KROESE F.G.M.
VIOLA L. *see* BROWN SHEILA E.

WALFORD R.L. *see* EFFROS RITA B.
WARDLEY R.C. *see* NORLEY S.G.
WAXDAL M.J. *see* STEVENSON H.C.
WEI W.-Z. & LINDQUIST R.R. Weat-germ agglutinin initiates monocytoid cell killing of non-antibody-coated erythrocytes, 617
WHALEY K., LAPPIN D., MCPHAEDEN A.R., RICHES D.W.H. & SANDILANDS G.P. A comparison of the effects of heat-aggregated and chemically cross-linked IgG on monocyte C2 production, 451
WHALEY K. *see* LAPPIN D.
WILLIAMS D.J.L. *see* PRITCHARD D.I.
WILLIAMS N.H., CRIBBIN FRANCES A., ZETTERGREN L.D. & HORTON J.D. Ontogeny and characterization of mitogen-reactive lymphocytes in the thymus and spleen of the amphibian, *Xenopus laevis*, 301
WILSON H.K. *see* DALE M. MAUREEN

WIRA C.R. *see* SULLIVAN D.A.
WISER SHARON K. *see* SMITH R.J.
WOODBURY R.G. *see* MILLER H.R.P.

YAMAMOTO S. *see* HIGUCHI Y.
YEH C.J.G. *see* HSI B.L.
YOSHIDA S. *see* SANUI H.
YUNG B.Y.K. *see* SHEK P.N.

ZANDER H. *see* ABB J.
ZETTERGREN L.D. *see* WILLIAMS N.H.

Subject Index

Adhesive glycoprotein from rat ascites hepatoma cells, immunological function of: production of macrophage chemotactic lymphokine, 245

African swine-fever virus infection, investigation of porcine natural-killer cell activity with reference to, 593

Aged mice, diminished T-cell response to influenza virus in, 387

Albumin gradient centrifugation, discontinuous, monocyte fractionation by: human monocyte functional heterogeneity, 231

Allergic reaction, contact, a study of cells present in lymph draining from a, in pigs sensitized to DNFB, 415

Allogeneic incompatible lymphocytes in the young pig, two-phase clearance of, and long-term survival of MHC-compatible lymphocytes, 727

Alternative complement pathway, new synthetic inhibitor to the, 685

Alternative complement pathway, parallelism between regulatory effects of erythrocyte glycoproteins on phagocytosis and on the, 649

Amnion epithelial antigens are contained by human thymus, 289

AMP (cyclic), control of monocyte C2 production by, 625

Anaphylaxis (ocular), sequence of mast-cell changes in, 281

Anergy in mice, immunogenetics of BCG-induced. Control by *Igh-* and *H-2*-linked genes, 609

Anti-b, b-183, specific monoclonal antibody of blood group B antigen, study of, 77

Anti-C3 Fab′ and cycloheximide, effect of, on the intrinsic synthesis and secretion of lysosomal enzyme and of complement components by guinea-pig peritoneal macrophages, 337

Anti-Ig-coated particles from a subpopulation of rabbit B lymphocytes, α-macroglobulin-induced release of, 519

Anti-Ig, suppression with, of immunoglobulin secretion by pig lymphoblasts, 491

Antibodies and complement, differences in susceptibility to lysis by, are independent of antigen expression and antibody binding: complement-mediated killing of myeloma tumour cells, 321

Antibody-dependent cellular cytotoxicity, neutrophil-mediated: morphological concomitants of ^{51}Cr-release, 401

Antibody-sensitized *trypanosoma brucei*, phagocytosis of, *in vitro* by bovine peripheral blood monocytes, 393

Antigen, a vascular endothelial cell, with restricted distribution in human foetal, adult and malignant tissues, 183

Antigen–antibody complexes (surface-bound), inhibition of polymorphonuclear leucocyte locomotion by, 329

Antigen expression and antibody binding, differences in susceptibility to lysis by antibodies and complement are independent of: complement-mediated killing of myeloma tumour cells, 321

Antigen, human Thy-1: cell surface expression on early T and B lymphocytes, 555

Antigen-induced arthritis, exacerbation of, after challenge with intravenous antigen, 161

Antigen, recognition of a sheep T-lymphocyte differentiation, by a monoclonal antibody T-80. Studies on the differentiation of T lymphocytes in sheep, I, 545

Antigen together with syngeneic I-J region determinants induces and activates T suppressor cells: the role of I-J in the suppressor T-cell circuit which influences the effector stage of contact sensitivity, 191

Antigen trapping in the spleen of the turtle, *Chrysemys scripta elegans*, 61

Antigens, amnion epithelial, are contained by human thymus, 289

Antigens, immunological responses to fed protein, in mice. II. Oral tolerance for CMI is due to activation of cyclophosphamide-sensitive cells by gut-processed antigen, 451

Antigens of *Aspergillus fumigatus*. II. Electrophoretic and clinical studies, 657

Antigenic stimulation, response of the rabbit V_H subgroups *a* and *y* following, 273

Aplasia of the thymus (congenital), immunoglobulins of rnu/rnu 'nude' rats with, 295

Arthritis, exacerbation of antigen-induced, after challenge with intravenous antigen, 161

Arthritogen and immunogen in the rabbit, the successful use of asialylated IgG as an, 511

Asialylated IgG, the successful use of, as an immunogen and arthritogen in the rabbit, 511

Aspergillus fumigatus, antigens of. II. Electrophoretic and clinical studies, 657

Auto-antibody-dependent activation of the autologous classical complement pathway by guinea-pig red cells treated with influenza virus or neuraminidase: *in vitro* and *in vivo* study, 311

Autoimmune haemolytic disease in mice after exposure to a methylating carcinogen, 439

B and T lymphocytes, cell surface expression on early: human thy-1 antigen, 555

B blood group antigen, study of, with a specific monoclonal antibody (anti-B, b-183), 77

B lymphocytes (rabbit), α-macroglobulin-induced release of anti-Ig-coated particles from a subpopulation of, 519

BCG-induced anergy in mice, immunogenetics of. Control by *Igh-* and *H-2*-linked genes, 609

Bone marrow-derived and peritoneal mouse macrophages, superoxide release by. Modulation by adherence and cell activation, 693

Bovine peripheral blood monocytes, phagocytosis of antibody-sensitized *trypanosoma brucei in vitro* by, 393

C1 inactivator: its efficiency as a regulator of classical complement pathway activation by soluble IgG aggregates, 215
C2 production by monocytes, a comparison of the effects of heat-aggregated and chemically cross-linked IgG on, 451
C2 production, control of monocyte, by cyclic AMP, 625
C3, haemolytically active, produced *in vitro* by human peripheral blood monocyte-derived macrophages, 169
C3b acceptors on human peripheral blood mononuclear cells; characterization and functional role, 423
Carcinogen, a methylating, induces autoimmune haemolytic disease in mice, 439
Chelated iron, evidence for lipoxygenase activity in induction of histamine release from rat peritoneal mast cells by, 1
Chemotactic inhibitor in synovial fluid, 131
Chicken oocyte, analysis of maternal IgG subpopulations which are transported into, 21
Classical complement pathway (autologous), auto-antibody-dependent activation of the, by guinea-pig red cells treated with influenza virus or neuraminidase: *in vitro* and *in vivo* study, 311
Complement components, the intrinsic synthesis and secretion of lysosomal enzyme and, by guinea-pig peritoneal macrophages, effect of cycloheximide and of anti-C3 Fab′ on, 337
Complement-mediated delay in immune complex clearance from the blood owing to reduced deposition outside the reticuloendothelial system, 53
Complement-mediated killing of myeloma tumour cells: differences in susceptibility to lysis by antibodies and complement are independent of antigen expression and antibody binding, 321
Complement pathway activation, classical, by soluble IgG aggregates, efficiency of C1 inactivator as a regulator of, 215
Cyclic AMP, control of monocyte C2 production by, 625
Cycloheximide and anti-C3 Fab′, effect of, on the intrinsic synthesis and secretion of lysosomal enzyme and of complement components by guinea-pig peritoneal macrophages, 337
Cyclophosphamide-sensitive cells, oral tolerance for CMI is due to activation of, by gut-processed antigen. Immunological responses to fed protein antigens in mice, II, 451
Cyclophosphamide treatment, prolonged DTH reaction and its interruption by: studies on delayed-type hypersensitivity (DTH) reactions in the pleural cavity in mice, 529
Cyclosporin A, effects of, on the metabolism of unstimulated and mitogen-activated lymphocytes, 153
Cytolysis, T lymphocyte-mediated. III. Delineation of mechanisms whereby lectins mediate lymphocyte–target interaction, 585
Cytotoxic cells, rat, a comparison of membrane markers on, 139
Cytotoxic factor, dengue virus-induced, induces macrophages to produce a cytotoxin, 121
Cytotoxic T cells, stimulation of, by liposomes containing influenza virus or its components, 255
Cytotoxicity, neutrophil-mediated antibody-dependent cellular: morphological concomitants of ^{51}Cr-release, 401
Cytotoxin, dengue virus-induced cytotoxic factor induces macrophages to produce a, 121
Delayed-type hypersensitivity (DTH) reactions in the pleural cavity in mice, studies on: prolonged DTH reaction and its interruption by cyclophosphamide treatment, 529
Dengue virus-induced cytotoxic factor induces macrophages to produce a cytotoxin, 121
Discontinuous albumin gradient centrifugation, monocyte fractionation by: human monocyte functional heterogeneity, 231
DNFB, a study of cells present in lymph draining from a contact allergic reaction in pigs sensitized to, 415
Duodenal fluid, IgE and IgD antibodies to cow milk and soy protein in: effects of pancreozymin and secretin, 69

Endothelial cell antigen, a vascular, with restricted distribution in human foetal, adult and malignant tissues, 183
Erythrocyte glycoproteins, parallelism between regulatory effects of, on phagocytosis and on the alternative complement pathway, 649
Erythrocyte membrane sialoglycoprotein on target liposomes, inhibition of phagocytosis by, 113
Erythrocytes, wheat-germ agglutinin initiates monocytoid cell killing of non-antibody-coated, 617

Fc receptors on human monocytes, quantitative studies on: characterization by binding of homologous and heterologous monomeric IgG and soluble immune complexes of different composition, 537
Foetal, adult and malignant tissues (human), a vascular endothelial cell antigen with restricted distribution in, 183

Glycogen-rich and mucus-secreting NK cells generated by murine interleukin-2, 571
Glycoproteins (erythrocyte), parallelism between regulatory effects of, on phagocytosis and on the alternative complement pathway, 649
Glycoproteins, specific HSV-1, protective immunization of mice with, 343
Gut function, the influence of, on lymphoid cell populations in the intestinal mucosa of lambs, 501
Gut-processed antigen, oral tolerance for CMI is due to activation of cyclophosphamide-sensitive cells by. Immunological responses to fed protein antigens in mice, II, 451

H-2- and *Igh*-linked genes, control by. Immunogenetics of BCG-induced anergy in mice, 609
Haemolytic disease, autoimmune, in mice after exposure to a methylating carcinogen, 439
Heat-aggregated and chemically cross-linked IgG, a comparison of the effects of, on monocyte C2 production, 451
Hepatoma cells, rat ascites, immunological function of adhesive glycoprotein from: production of macrophage chemotactic lymphokine, 245
Histamine release, evidence for lipoxygenase activity in induction of, from rat peritoneal mast cells by chelated iron, 1
HLA-DR positive cells in the human placenta, 103
HLA-DR 2 associated with human leucocyte low responsiveness to inducers of interferon alpha with, 239
Homologous complement, cytolysis of Sendai virus-infected guinea-pig cells by, 29

HSV-1 glycoproteins, specific, protective immunization of mice with, 343
Human foetal, adult and malignant tissues, a vascular endothelial cell antigen with restricted distribution in, 183
Hypergammaglobulinaemia, the role of the IgG1, in immunity to the gastrointestinal nematode *Nematospiroides dubius*. The immunochemical purification, antigen-specificity and *in vivo* anti-parasite effect of IgG1 from immune serum, 353

I-J, the role of, in the suppressor T-cell circuit which influences the effector stage of contact sensitivity: antigen together with syngeneic I-J region determinants induces and activates T suppressor cells, 191
IgD and IgE antibodies to cow milk and soy protein in duodenal fluid: effects of pancreozymin and secretin, 69
IgE and IgD antibodies to cow milk and soy protein in duodenal fluid: effects of pancreozymin and secretin, 69
IgE antibody formation, regulation of timothy grass pollen. I. *In-vitro* induction of suppressor T cells by soluble T suppressor factors, 463
IgG, a comparison of the effects of heat-aggregated and chemically cross-linked, on monocyte C2 production, 451
IgG aggregates, soluble, efficiency of $\overline{C1}$ inactivator as a regulator of classical complement pathway activation by, 215
IgG, characterization by binding of homologous and heterologous monomeric, and soluble immune complexes of different composition: quantitative studies of Fc receptors on human monocytes, 537
IgG subpopulations, maternal, which are transported into the chicken oocyte, analysis of, 21
IgG, the successful use of asialylated, as an immunogen and arthritogen in the rabbit, 511
IgG1 hypergammaglobulinaemia, the role of, in immunity to the gastrointestinal nematode *Nematospiroides dubius*. The immunochemical purification, antigen-specificity and *in vivo* anti-parasite effect of IgG1 from immune serum, 353
IgG_{2b} antibody (syngeneic) with anti-tumour activity. Monoclonal antibodies to rat sarcomata, II, 667
Igh- and *H-2*-linked genes, control by. Immunogenetics of BCG-induced anergy in mice, 609
Immune complex clearance from the blood, complement-mediated delay in, owing to deposition outside the reticuloendothelial system, 53
Immune complexes (preformed) with different *in vitro* characteristics, kinetics of leucocyte migration into rabbit knee joints elicited by, 205
Immune complexes (soluble) of different composition, characterization by binding of homologous and heterologous monomeric IgG and: quantitative studies of Fc receptors on human monocytes, 537
Immune complexes, the detection and characterization of circulating: chronic liver disease, 673
Immunoelectron microscopic study of immunoglobulin G in the postcapillary venules of normal and nude mouse lymph nodes, 223
Immunogen and arthritogen in the rabbit, the successful use of asialylated IgG as an, 511
Immunoglobulin G, an immunoelectron microscopic study of, in the postcapillary venules of normal and nude mouse lymph nodes, 223
Immunoglobulin-secreting cells, pregnancy induces an increase in the number of, 481
Immunoglobulin secretion by pig lymphoblasts, suppression with anti-Ig of, 491
Immunoglobulins of rnu/rnu 'nude' rats with congenital aplasia of the thymus, 295
Influenza virus, diminished T-cell response to, in aged mice, 387
Influenza virus or its components, stimulation of cytotoxic T cells by liposomes containing, 225
Influenza virus or neuraminidase, auto-antibody-dependent activation of the autologous classical complement pathway by guinea-pig red cells treated with; an *in vitro* and *in vivo* study, 311
Inhibitor, new synthetic, to the alternative complement pathway, 685
Interferon alpha, human leucocyte low responsiveness to inducers of, association of, with HLA-DR 2, 239
Interleukin-2 (murine) generates glycogen-rich and mucus-secreting NK cells, 571
Intestine, the *in-vivo* kinetics of lymphoblast localization in the small, 641
Intratesticular, unilateral, bacterial infection, experimental allergic orchitis induced by, in guinea-pigs, 45
Intravenous antigen, exacerbation of antigen-induced arthritis after challenge with, 161

Knee joints, rabbit, kinetics of leucocyte migration into, elicited by preformed immune complexes with different *in vitro* characteristics, 205

L_2C tumour-cell antigens, induction of tumour-specific immunity by liposomes reconstituted with, 431
Lectins mediate lymphocyte–target interaction, delineation of mechanisms whereby. T lymphocyte-mediated cytolysis, III, 585
Leucocyte (human) low responsiveness to inducers of interferon alpha, association of, with HLA-DR 2, 239
Leucocyte locomotion, inhibition of polymorphonuclear, by surface-bound antigen–antibody complexes, 329
Leucocyte migration, kinetics of, into rabbit knee joints elicited by preformed immune complexes with different *in vitro* characteristics, 205
Leukaemic cells, analysis of the binding of peanut agglutinin (PNA) to, and its relationship to T-cell differentiation, 147
Liposomes containing influenza virus or its components, stimulation of cytotoxic T cells by, 255
Liposomes reconstituted with L_2C tumour-cell antigens induce syngeneic tumour-specific immunity, 431
Liposomes, target, inhibition of phagocytosis by erythrocyte membrane sialoglycoprotein on, 113
Lipoxygenase activity, evidence for, in induction of histamine release from rat peritoneal mast cells by chelated iron, 1
Liver disease, chronic: the detection and characterization of circulating immune complexes, 673
Lymph draining from a contact allergic reaction in pigs sensitized to DNFB, a study of cells present in, 415
Lymph nodes, an immunoelectron microscopic study of immunoglobulin G in the postcapillary venules of normal and nude mouse, 223

Lymphoblast localization in the small intestine, the *in-vivo* kinetics of, 641
Lymphoblasts (pig), suppression with anti-Ig of immunoglobulin secretion by, 491
Lymphoctye chemotactic factor, murine, lyt phenotype analysis of effector cells responsible for producing. Lymphocyte chemotaxis in inflammation, VI, 95
Lymphocyte pool, recirculating, of the rat: a systematic description of the migratory behaviour of recirculating lymphocytes, 83
Lymphocyte–target interaction, delineation of mechanisms whereby lectins mediate. T lymphocyte-mediated cytolysis, III, 585
Lymphocytes (human), interaction of pokeweed mitogen with monocytes in the activation of, 633
Lymphocytes (large granular), thymocytes and activated T cells, human, a monoclonal antibody (VEP 10) against an antigen shared by, 265
Lymphocytes, long-term survival of MHC-compatible, and two-phase clearance of allogeneic incompatible lymphocytes in the young pig, 727
Lymphocytes (mitogen-reactive) in the thymus and spleen of the amphibian, *Xenopus laevis*, ontogeny and characterization of, 301
Lymphoid cell populations in the intestinal mucosa of lambs, the influence of gut function on, 501
Lymphokine, production of macrophage chemotactic: immunological function of adhesive glycoprotein from rat ascites hepatoma cells, 245
Lysosomal enzyme and complement components, the intrinsic synthesis and secretion of, by guinea-pig peritoneal macrophages, effect of cycloheximide and of anti-C3 Fab′ on, 337
Lyt phenotype analysis of effector cells responsible for producing murine lymphocyte chemotactic factor. Lymphocyte chemotaxis in inflammation, VI, 95

α-Macroglobulin-induced release of anti-Ig-coated particles from a subpopulation of rabbit B lymphocytes, 519
Macrophage chemotactic lymphokine, production of: immunological function of adhesive glycoprotein from rat ascites hepatoma cells, 245
Macrophage mannosyl-specific receptors, modulation of, by cultivation on immobilized zymosan. Effects on superoxide-anion release and phagocytosis, 705
Macrophages are induced to produce a cytotoxin by dengue virus-induced cytotoxic factor, 121
Macrophages, human peripheral blood monocyte-derived, produce haemolytically active C3 *in vitro*, 169
Macrophages, superoxide release by peritoneal and bone marrow-derived mouse. Modulation by adherence and cell activation, 693
Mannosyl-specific receptors, modulation of macrophage, by cultivation on immobilized zymosan. Effects on superoxide-anion release and phagocytosis, 705
Marrow elements, recognition and regulation of progenitor, by NK cells in the mouse, 717
Mast-cell changes in ocular anaphylaxis, sequence of, 281
Mast-cell protease, systemic release of mucosal, in primed rats challenged with *Nippostrongylus brasilensis*, 471
Mast cells, rat peritoneal, evidence for lipoxygenase activity in induction of histamine release from, by chelated iron, 1
Maternal IgG subpopulations which are transported into the chicken oocyte, analysis of, 21
Membrane markers, a comparison of, on rat cytotoxic cells, 139
Methylating carcinogen induces autoimmune haemolytic disease in mice, 439
MHC-compatible lymphocytes, long-term survival of, and two-phase clearance of allogeneic incompatible lymphocytes in the young pig, 727
Mitogen-activated and unstimulated lymphocytes, effects of cyclosporin A on the metabolism of, 153
Mitogen-reactive lymphocytes in the thymus and spleen of the amphibian, *Xenopus laevis*, ontogeny and characterization of, 301
Monoclonal antibodies, fine specificity and idiotypic expression of, directed against poly(Tyr,Glu)-poly(DLAla)--poly(Lys) and its ordered analogue (Tyr-Tyr-Glu-Glu)-poly(DLAla)--poly(Lys), 9
Monoclonal antibodies to rat sarcomata. II. A syngeneic IgG_{2b} antibody with anti-tumour activity, 667
Monoclonal antibody T-80, recognition of a sheep T-lymphocyte differentiation antigen by. Studies on the differentiation of T lymphocytes in sheep, I, 545
Monoclonal antibody (VEP10) against an antigen shared by large granular lymphocytes, thymocytes and activated T cells, 265
Monocyte C2 production, a comparison of the effects of heat-aggregated and chemically cross-linked IgG on, 451
Monocyte C2 production, control of, by cyclic AMP, 625
Monocyte-derived macrophages (human peripheral blood) produce haemolytically active C3 *in vitro*, 169
Monocyte (human) functional heterogeneity: monocyte fractionation by discontinuous albumin gradient centrifugation, 231
Monocytes (human), quantitative studies of Fc receptors on: characterization by binding of homologous and heterologous monomeric IgG and soluble immune complexes of different composition, 537
Monocytes, interaction of pokeweed mitogen with, in the activation of human lymphocytes, 633
Monocytoid cell killing of non-antibody-coated erythrocytes, wheat-germ agglutinin initiates, 617
Mucosa (intestinal) of lambs, the influence of gut function on lymphoid cell populations in the, 501
Mucosal mast-cell protease, systemic release of, in primed rats challenged with *Nippostrongylus brasiliensis*, 471
Mucus-secreting and glycogen-rich NK cells generated by murine interleukin-2, 571
Multilamellar and unilamellar liposomes, comparison between, in enhancing antibody formation, 37
Myeloma tumour cells, complement-mediated killing of: differences in susceptibility to lysis by antibodies and complement are independent of antigen expression and antibody binding, 321

Natural-killer cell activity, investigation of porcine, with reference to African swine-fever virus infection, 593
Nematospiroides dubious, the role of the IgG1 hypergammaglobulinaemia in immunity to the gastrointestinal nematode. The immunochemical purification, antigen-specificity and *in vivo* anti-parasite effect of IgG1 from immune serum, 353

Neuraminidase or influenza virus, auto-antibody-dependent activation of the autologous classical complement pathway by guinea-pig red cells treated with; an *in vitro* and *in vivo* study, 311
Neutrophil (human) activation with pepstatin A, biochemical, metabolic and morphological characteristics of, 367
Neutrophil-mediated antibody-dependent cellular cytotoxicity: morphological concomitants of ^{51}Cr-release, 401
Nippostrongylus brasiliensis, systemic release of mucosal mast-cell protease in primed rats challenged with, 471
NK cells in the mouse, recognition and regulation of progenitor marrow elements by, 717
NK cells, murine interleukin-2 generates glycogen-rich and mucus-secreting, 571
Non-antibody-coated erythrocytes, wheat-germ agglutinin initiates monocytoid cell killing of, 617
Normal immunosuppressive protein (Nip), non-specific: purification and further biochemical characterization, 599
'Nude' rats (rnu/rnu) with congenital aplasia of the thymus, immunoglobulins of, 295

Ocular anaphylaxis, sequence of mast-cell changes in, 281
Ontogeny and characterization of mitogen-reactive lymphocytes in the thymus and spleen of the amphibian, *Xenopus laevis*, 301
Oral tolerance for CMI is due to activation of cyclophosphamide-sensitive cells by gut-processed antigen. Immunological response to fed protein antigens in mice, II, 451
Orchitis, experimental allergic, induced by unilateral intratesticular bacterial infection in guinea-pigs, 45

Pancreozymin and secretin, effects of: IgE and IgD antibodies to cow milk and soy protein in duodenal fluid, 69
Peanut agglutinin (PNA), analysis of the binding of, to leukaemic cells and its relationship to T-cell differentiation, 147
Pepstatin A, biochemical, metabolic and morphological characteristics of human neutrophil activation with, 367
Peripheral blood mononuclear cells (human), C3b acceptors on; characterization and functional role, 423
Peritoneal and bone marrow-derived mouse macrophages, superoxide release by. Modulation by adherence and cell activation, 693
Peritoneal macrophages (guinea-pig), the effect of cycloheximide and of anti-C Fab′ on the intrinsic synthesis and secretion of lysosomal enzyme and of complement components by, 337
Phagocytosis, effects on superoxide-anion release and. Modulation of macrophage mannosyl-specific receptors by cultivation on immobilized zymosan, 705
Phagocytosis, inhibition of, by erythrocyte membrane sialoglycoprotein on target liposomes, 113
Phagocytosis of antibody-sensitized *trypanosoma brucei in vitro* by bovine peripheral blood monocytes, 393
Phagocytosis, parallelism between regulatory effects of erythrocyte glycoproteins on, and on the alternative complement pathway, 649
Pig lymphoblasts, suppression with anti-Ig of imunoglobulin secretion by, 491
Pigs sensitized to DNFB, a study of cells present in lymph draining from a contact allergic reaction in, 415
Placenta, human, HLA-DR positive cells in the, 103
Pleural cavity in mice, studies on delayed-type hypersensitivity (DTH) reactions in the: prolonged DTH reaction and its interruption by cyclophosphamide treatment, 529
Pokeweed mitogen, interaction of, with monocytes in the activation of human lymphocytes, 633
Polymorphonuclear leucocyte locomotion, inhibition of, by surface-bound antigen–antibody complexes, 329
Poly(Tyr,Glu)-poly(DLAla)--poly(Lys) and its ordered analogue (Tyr-Tyr-Glu-Glu)-poly(DLAla)--poly(Lys), fine specificity and idiotypic expression of monoclonal antibodies directed against, 9
Postcapillary venules of normal and nude mouse lymph nodes, an immunoelectron microscopic study of immunoglobulin G in the, 223
Pregnancy induces an increase in the number of immunoglobulin-secreting cells, 481
Progenitor marrow elements, recognition and regulation of, by NK cells in the mouse, 717
Protease, systemic release of mucosal mast-cell, in primed rats challenged with *Nippostrongylus brasiliensis*, 471
Proteins antigens, immunological responses to fed, in mice. II. Oral tolerance for CMI is due to activation of cyclophosphamide-sensitive cells by gut-processed antigen, 451

Recirculating lymphocyte pool of the rat: a systematic description of the migratory behaviour of recirculating lymphocytes, 83
Reticuloendothelial system, complement-mediated delay in immune complex clearance from the blood owing to reduced deposition outside the, 53
rnu/rnu 'nude' rats with congenital aplasia of the thymus, 295

Sarcomata, monoclonal antibodies to rat. II. A syngeneic IgG_{2b} antibody with anti-tumour activity, 667
Secretin and pancreozymin, effects of: IgE and IgD antibodies to cow milk and soy protein in duodenal fluid, 69
Secretory component, free, steroid hormone regulation of, in the rat uterus, 379
Sendai virus-infected guinea-pig cells, cytolysis of, by homologous complement, 29
Sialoglycoprotein, erythrocyte membrane, on target liposomes, inhibition of phagocytosis by, 113
Small intestine, the *in-vivo* kinetics of lymphoblast localization in the, 641
Spleen and thymus of the amphibian, *Xenopus laevis*, ontogeny and characterization of mitogen-reactive lymphocytes in the, 301
Spleen of the turtle *Chrysemys scripta elegans*, antigen trapping in the, 61
Steroid hormone regulation of free secretory component in the rat uterus, 379
Superoxide-anion release and phagocytosis, effects on. Modulation of macrophage mannosyl-specific receptors by cultivation on immobilized zymosan, 705
Superoxide release by peritoneal and bone marrow-derived mouse macrophages. Modulation by adherence and cell activation, 693
Suppressor T-cell circuit, the role of I-J in the, which influences the effector stage of contact sensitivity: antigen together with syngeneic I-J region determinants induces and activates T suppressor cells, 191

Suppressor T cells, *in-vitro* induction of, by soluble T suppressor factors. Regulation of timothy grass pollen IgE antibody formation, I, 463
Synovial fluid, chemotactic inhibitor in, 131
Synthetic inhibitor, new, to the alternative complement pathway, 685

T and B lymphocytes, cell surface expression on early: human Thy-1 antigen, 555
T-cell differentiation, analysis of the binding of peanut agglutinin (PNA) to leukaemic cells and its relationship to, 147
T-cell response, diminished, to influenza virus in aged mice, 387
T-cell subsets in mice, high frequency detection of different, by a modified virus plaque assay, 175
T-cell, suppressor, circuit, the role of I-J in the, which influences the effector stage of contact sensitivity: antigen together with syngeneic I-J region determinants induces and activates T suppressor cells, 191
T cells (activated), large granular lymphocytes and thymocytes, human, a monoclonal antibody (VEP10) against an antigen shared by, 265
T cells (cytotoxic), stimulation of, by liposomes containing influenza virus or its components, 255
T lymphocyte-mediated cytolysis. III. Delineation of mechanisms whereby lectins mediate lymphocyte–target interaction, 585
T lymphocytes in sheep, studies on the differentiation of. I. Recognition of a sheep T-lymphocyte differentiation antigen by a monoclonal antibody T-80, 545
T suppressor factors (soluble), *in-vitro* induction of suppressor T cells by. Regulation of timothy grass pollen IgE antibody formation, I, 463
T-80, recognition of a sheep T-lymphocyte differentiation antigen by a monoclonal antibody. Studies on the differentiation of T lymphocytes in sheep, I, 545
Thy-1 antigen, human: cell surface expression on early T and B lymphocytes, 555
Thymocytes, large granular lymphocytes and activated T cells (human), a monoclonal antibody (VEP10) against an antigen shared by, 265
Thymus and spleen of the amphibian, *Xenopus laevis*, ontogeny and characterization of mitogen-reactive lymphocytes in the, 301
Thymus, congenital aplasia of, immunoglobulins of rnu/rnu 'nude' rats with, 295
Thymus (human) contains amnion epithelial antigens, 289
Timothy grass pollen IgE antibody formation, regulation of. I. *In-vitro* induction of suppressor T cells by soluble T suppressor factors, 463
Tumour-specific immunity, induction of syngeneic, by liposomes reconstituted with L_2C tumour-cell antigens, 431
Trypanosoma brucei, phagocytosis of antibody-sensitized, *in vitro* by bovine peripheral blood monocytes, 393
Tumours, a syngeneic IgG_{2b} antibody acting against. Monoclonal antibodies to rat sarcomata, II, 667
Turtle, *Chrysemys scripta elegans*, antigen trapping in the spleen of the, 61
(Tyr-Tyr-Glu)-poly(DLAla)--poly(Lys), fine specificity and idiotypic expression of monoclonal antibodies directed against poly(Tyr,Glu)-poly(DLAla)--poly(Lys) and its ordered analogue, 9

Unilamellar and multilamellar liposomes, comparison between, in enhancing antibody formation, 37
Uterus, rat, steroid hormone regulation of free secretory component in the, 379

V_H subgroups *a* and *y* (rabbit), response of, following antigenic stimulation, 273
Vascular endothelial cell antigen with restricted distribution in human foetal, adult and malignant tissues, 183
Virus plaque assay, high frequency detection of different T-cell subsets in mice by a modified, 175

Wheat-germ agglutinin initiates monocytoid cell killing of non-antibody-coated erythrocytes, 617

Zymosan (immobilized), modulation of macrophage mannosyl-specific receptors by cultivation on. Effects on superoxide-anion release and phagocytosis, 705